













individuals diagnosed with ASD. The algorithm performed extremely well, retrieving all the images efficiently and accurately. Still, future versions of this overall approach could be improved in a number of ways. First, the background-stripping process could be refined so that it works more effectively on a greater number of images. In addition, the software could be improved by allowing users to upload their own images, in case the user's preferred interest cannot be found in the Google image database.

The user study provided a naturalistic setting to test our software. Overall, the software performed robustly and was able to be easily adapted in the moment, providing quick and effective customization. Most importantly, the majority of our participants enjoyed playing customized versions of the games. They seemed delighted to see their preferred interests represented in the software, and this enthusiasm seemed to have increased their overall attentiveness and their willingness to participate in the experiment.

In the future, more research is needed to determine the best way to embed SIs into software programs. While our video games employed an antecedent-based approach, other applications might require a consequent-based approach. There are many ways to embed preferred interests into computer-based programs and, unfortunately, there is no obvious rubric to guide these design considerations. Ultimately, however, the real solution might lie in further customization. In addition to personalizing the embeddable content, new software programs could also personalize how that content is embedded. For instance, software designers could offer users a choice over when and how to incorporate preferred interests into a program. Different users and different software programs might call for different approaches, so it would be wise to build systems that offer several options. Flexible and easy software customization is, in our view, the best way to make computer-based interventions accessible to a wide range of users. And while this particular paper focused on users with diagnoses of ASD and developmental disorders, it should be noted that many individuals could benefit from this approach. Populations that don't usually gravitate towards computers, for whatever reason, could always benefit from new tools that make software more personalized and appealing.

Finally, any programmers attempting to build tools such as those described in this paper should pay careful attention to the terms of use specified by search engine being employed (e.g., Google, Yahoo! or the like). Developers should also make sure that their applications comply with the ever-evolving laws of fair use of copyrighted images.

Also, while our initial experiments were conducted with Google's image database, there is now a Yahoo! Search API which may offer significant technical improvements, including a built-in API for Flash-based programs. Furthermore, the Yahoo! API has lenient terms of use, and it prides itself as being "a truly open API with as few rules and limitations as possible" [37] thus making it an ideal resource for creating new search-based applications. We therefore encourage developers to consider Yahoo!'s search database as a resource. Updates to our instantiation of this project, including examples and source code, will be posted in the "projects" section of the MIT Affective Computing website: <http://affect.media.mit.edu/projects.php>.

## 7. ACKNOWLEDGMENTS

Our thanks Matthew Goodwin, Daniella Aube, Eliza Lane and the rest of the Groden Staff for helping us conduct our research. We would also like to thank the The Things That Think consortium and Bank of America for supporting this research. Any opinions, findings, and conclusions or recommendations expressed in this material are those of the authors and do not necessarily reflect the views of its sponsors.

## 8. REFERENCES

- [1] R. Morris, "Managing Sound Sensitivity in Autism Spectrum Disorder: New Technologies for Customized Intervention," Master's Thesis, Massachusetts Institute of Technology, 2009.
- [2] C. Rice, "Prevalence of Autism Spectrum Disorders - Autism and Developmental Disabilities and Monitoring Network, United States, 2006," *Morbidity and Mortality Weekly Report*, vol. 58, Dec. 2009, pp. 1-20.
- [3] U. Frith and S. Baron-Cohen, "Perception in autistic children," *Handbook of autism and pervasive developmental disorders*, New York: Wiley, 1987, pp. 85-102.
- [4] L. Mottron, M. Dawson, I. Soulières, B. Hubert, and J. Burack, "Enhanced perceptual functioning in autism: an update, and eight principles of autistic perception," *Journal of Autism and Developmental Disorders*, vol. 36, Jan. 2006, pp. 27-43.
- [5] S.E. Goldman, K. Surdyka, R. Cuevas, K. Adkins, L. Wang, and B.A. Malow, "Defining the sleep phenotype in children with autism," *Developmental Neuropsychology*, vol. 34, Sep. 2009, pp. 560-573.
- [6] D. Green, T. Charman, A. Pickles, S. Chandler, T. Loucas, E. Simonoff, and G. Baird, "Impairment in movement skills of children with autistic spectrum disorders," *Developmental Medicine and Child Neurology*, vol. 51, Apr. 2009, pp. 311-316.
- [7] P. Muris, P. Steerneman, H. Merckelbach, I. Holdrinet, and C. Meesters, "Comorbid anxiety symptoms in children with pervasive developmental disorders," *Journal of Anxiety Disorders*, vol. 12, Aug. 1998, pp. 387-393.
- [8] S. Jacob, A. Landeros-Weisenberger, and J.F. Leckman, "Autism spectrum and obsessive-compulsive disorders: OC behaviors, phenotypes and genetics," *Autism Research: Official Journal of the International Society for Autism Research*, vol. 2, Dec. 2009, pp. 293-311.
- [9] S.H. Ibrahim, R.G. Voigt, S.K. Katusic, A.L. Weaver, and W.J. Barbaresi, "Incidence of gastrointestinal symptoms in children with autism: a population-based study," *Pediatrics*, vol. 124, Aug. 2009, pp. 680-686.
- [10] F.R. Volkmar, R. Paul, A. Klin, and D.J. Cohen, *Handbook of Autism and Pervasive Developmental Disorders, Two Volume Set*, Wiley, 2005.
- [11] B. Boyd, M. Conroy, G. Mancil, T. Nakao, and P. Alter, "Effects of Circumscribed Interests on the Social Behaviors of Children with Autism Spectrum Disorders," *Journal of Autism and Developmental Disorders*, vol. 37, 2007, pp. 1550-1561.

- [12] T. Attwood, "Understanding and managing circumscribed interests," *Learning and Behavior Problems in Asperger Syndrome*, Guilford Press, 2003, pp. 126-147.
- [13] M. South, S. Ozonoff, and W. McMahon, "Repetitive behaviors profiles in Asperger syndrome and high-functioning autism," *Journal of Autism and Developmental Disorders*, vol. 35, 2005, pp. 145-158.
- [14] A. Klin, A. Carter, and S. Sparrow, "Psychological assessment of children with autism," *Handbook of autism and pervasive developmental disorders*, New York: Wiley, .
- [15] T. Attwood, *The Complete Guide to Asperger's Syndrome*, Jessica Kingsley Publishers, 2008.
- [16] H. Asperger, "Autistic psychopathy in childhood," *Autistic psychopathy in childhood*, Cambridge, UK: Cambridge University Press, 1991, pp. 37-91.
- [17] M. Charlop-Christy and L. Haymes, "Using obsessions as reinforcers with and without mild reductive procedures to decrease inappropriate behaviors of children with autism," *Journal of Autism and Developmental Disorders*, vol. 26, 1996, pp. 527-545.
- [18] L.M. Hinton and L. Kern, "Increasing Homework Completion by Incorporating Student Interests," *Journal of Positive Behavior Interventions*, vol. 1, Oct. 1999, pp. 231-241.
- [19] M.J. Baker, "Incorporating the Thematic Ritualistic Behaviors of Children with Autism into Games: Increasing Social Play Interactions with Siblings," *Journal of Positive Behavior Interventions*, vol. 2, Apr. 2000, pp. 66-84.
- [20] M.J. Baker, R.L. Koegel, and L.K. Koegel, "Increasing the Social Behavior of Young Children with Autism Using Their Obsessive Behaviors.," *Journal of the Association for Persons with Severe Handicaps*, vol. 23, 1998, pp. 300-08.
- [21] E. Gagnon, *Power Cards: Using Special Interests to Motivate Children and Youth with Asperger Syndrome and Autism*, Autism Asperger Publishing Company, 2001.
- [22] C.A. Gray and J.D. Garand, "Social Stories: Improving Responses of Students with Autism with Accurate Social Information," *Focus on Autism and Other Developmental Disabilities*, vol. 8, Apr. 1993, pp. 1-10.
- [23] K.M. Davis, R.T. Boon, D.F. Cihak, and C. Fore, "Power Cards to Improve Conversational Skills in Adolescents With Asperger Syndrome," *Focus on Autism and Other Developmental Disabilities*, vol. 25, Mar. 2010, pp. 12-22.
- [24] K. Keeling, B. Smith Myles, E. Gagnon, and R.L. Simpson, "Using the Power Card Strategy to Teach Sportsmanship Skills to a Child with Autism," *Focus on Autism and Other Developmental Disabilities*, vol. 18, Jan. 2003, pp. 105-111.
- [25] C. Whalen, L. Liden, B. Ingersoll, E. Dallaire, and S. Liden, "Behavioral improvements associated with computer-assisted instruction for children with developmental disabilities," *The Journal of Speech and Language Pathology - Applied Behavior Analysis*, vol. 1, Winter. 2006, pp. 11-26.
- [26] C. Williams, B. Wright, G. Callaghan, and B. Coughlan, "Do children with autism learn to read more readily by computer assisted instruction or traditional book methods? A pilot study," *Autism: The International Journal of Research and Practice*, vol. 6, Mar. 2002, pp. 71-91.
- [27] V. Bernard-Optiz, N. Sriram, and M. Tutas, "Computer assisted instruction for children with autism," *Annals of the Academy of Medicine*, vol. 19, Oct. 1990, pp. 611-666.
- [28] M. Hoque, J. Lane, R. el Kaliouby, M. Goodwin, and R. Picard, "Exploring Speech Therapy Games with Children on the Autism Spectrum," *Interspeech*, Brighton, UK: 2009.
- [29] F.J. Sansosti and K.A. Powell-Smith, "Using Computer-Presented Social Stories and Video Models to Increase the Social Communication Skills of Children With High-Functioning Autism Spectrum Disorders," *Journal of Positive Behavior Interventions*, vol. 10, Jul. 2008, pp. 162-178.
- [30] V. Bernard-Optiz, N. Sriram, and S. Nakhoda-Sapuan, "Enhancing social problem solving in children with autism and normal children through computer-assisted instruction," *Journal of Autism and Developmental Disorders*, vol. 31, pp. 377-84.
- [31] S. Baron-Cohen, O. Golan, and E. Ashwin, "Can emotion recognition be taught to children with autism spectrum conditions?," *Philosophical Transactions of the Royal Society B: Biological Sciences*, vol. 364, Dec. 2009, pp. 3567-3574.
- [32] C. Putnam and L. Chong, "Software and technologies designed for people with autism: what do users want?," *Proceedings of the 10th international ACM SIGACCESS conference on Computers and accessibility*, Halifax, Nova Scotia, Canada: ACM, 2008, pp. 3-10.
- [33] G. Mancil and C. Pearl, "Restricted Interests as Motivators: Improving Academic Engagement and Outcomes of Children on the Autism Spectrum," *Teaching Exceptional Children Plus*, vol. 4.
- [34] M. Winter-Messier, "Dinosaurs 24/7: Understanding the Special Interests of Children with Asperger's - References | Articles | Interactive Autism Network Community | Share. Research. Discover."
- [35] M. Charlop-Christy and L. Haymes, "Using objects of obsession as token reinforcers for children with autism," *Journal of Autism and Developmental Disorders*, vol. 28, 1998, pp. 189-198.
- [36] S. Baron-Cohen and S. Wheelwright, "'Obsessions' in children with autism or Asperger syndrome. Content analysis in terms of core domains of cognition," *The British Journal of Psychiatry*, vol. 175, Nov. 1999, pp. 484-490.
- [37] Yahoo! Search BOSS, 2010. Retrieved August 12, 2010, from Yahoo! Developer Network: <http://developer.yahoo.com/search/boss/>.